

**Table des matières**

Influxdb ..... 3  
Oracle ..... 3  
Sybase ..... 3  
MySQL ..... 3




## Influxdb

```
CREATE USER admin WITH PASSWORD 'Redhat@123' WITH ALL PRIVILEGES
CREATE DATABASE mondb
CREATE USER monuser WITH PASSWORD 'Redhat@123'
GRANT ALL ON mondb TO monuser
exit
```

## Oracle

- [Identifier une session qui pose problème](#)
- [Rotation du listener.log sans relance](#)
- [Vérifier si une base est en ARCHIVELOG](#)
- [Estimer la taille d'une base Oracle](#)
- [Tuning](#)
- [Les conseils de Pascal J.](#)
- [Tips](#)

Intitulé	Format
<a href="#">Tuning AIX pour Oracle</a>	

## Sybase

## MySQL

- [Script d'optimisation automatique des bases](#)
- [Tuner une base MySQL](#)

### Purger les fichiers de logs binaires

```
mysql> PURGE MASTER LOGS BEFORE '2008-08-26 17:00:00';
```

### Créer un user

```
GRANT ALL ON schema.* TO 'user'@'localhost' IDENTIFIED BY 'password';
```

From:  
<https://unix-bck.ndlp.info/> - **Where there is a shell, there is a way**

Permanent link:  
[https://unix-bck.ndlp.info/doku.php/informatique:base\\_de\\_donnees?rev=1637227566](https://unix-bck.ndlp.info/doku.php/informatique:base_de_donnees?rev=1637227566)

Last update: **2021/11/18 10:26**