

Table des matières

Sendmail en mode démon "securisé"	3
<i>Mise à jour de Sendmail</i>	3
Fichiers de conf	3
sendmail.cf	3
submit.cf	4
Copie des fichiers	4
Rechargement des fichiers + droits	5
Config du boot	5
Tests	5

Sendmail en mode démon "securisé"

Le but de la manip est d'avoir un démon Sendmail en permanence qui effectue des réessais d'envoi lorsque la passerelle est down. Pour une sécurité accrue le démon n'écoute qu'en local pour ne pas être relai d'autres machines.

note : cette manip fonctionne aussi sous d'autres Unix, ici seules les parties *Mise à jour de Sendmail*, *Config du boot* et *Tests* sont réellement spécifiques HP-UX.

Mise à jour de Sendmail

Il faut utiliser la version 8.13.3 qui est disponible [ici](#). C'est un fichier dépôt donc une fois sur la machine :

```
root@server306:/tmp#swinstall -s /tmp/Sendmail-Upgrade_B.11.23.1.005_HP-UX_B.11.23_IA+PA.depot
```



Attention de bien spécifier le chemin complet. Ne pas tenir compte des warnings sur les éventuelles dépendances.

Fichiers de conf



Se positionner sous `/usr/contrib/sendmail/usr/newconfig/etc/mail/cf/cf/`

sendmail.cf

On créé un fichier `sendmail_new.mc` en prenant soin de modifier l'entrée `define(`SMART_HOST',`SERVER')dnl` avec le bon serveur mail :

```
divert(-1)
#
# Copyright (c) 1998, 1999, 2001 Sendmail, Inc. and its suppliers.
# All rights reserved.
# Copyright (c) 1983 Eric P. Allman. All rights reserved.
# Copyright (c) 1988, 1993
# The Regents of the University of California. All rights reserved.
#
# By using this file, you agree to the terms and conditions set
# forth in the LICENSE file which can be found at the top level of
# the sendmail distribution.
#
#
#
# This is a generic configuration file for HP-UX 10.x.
# It has support for local and SMTP mail only. If you want to
# customize it, copy it to a name appropriate for your environment
# and do the modifications there.
#
#
divert(0)dnl
divert(-1)
# Ported changes from sendmail-8.11.1 - Manoj Nov 16, 2004.
# Fix for JAGaa30867.
# Enabled local site hiding and masquerading in default sendmail.cf file.
# Adding feature(always_add_domain) and define __MASQUERADE_ENVELOPE_
# Fix for JAGaa30300 - Added support for openmail
divert(0)dnl
VERSIONID(`$Id: generic-hpux10.mc,v 8.13 2001/05/29 17:29:52 ca Exp $')
OSTYPE(hpux11)dnl
DOMAIN(generic)dnl
FEATURE(genericstable)
FEATURE(masquerade_envelope)dnl
FEATURE(always_add_domain)dnl
define(`__MASQUERADE_ENVELOPE_')dnl
define(`MASQUERADE_NAME')dnl
define(`confTRY_NULL_MX_LIST',`T')dnl
define(`DATABASE_MAP_TYPE',`dbm')dnl
```

```
define(`_CLASS_U_')dn!
define(`_NO_MSA_')dn!
define(`SMART_HOST',`SERVER')dn!
define(`_ACCEPT_UNRESOLVABLE_DOMAINS_')dn!
DAEMON_OPTIONS(`Port=587, Name=MSA, Addr=127.0.0.1, M=E')dn!
TRUST_AUTH_MECH(`GSSAPI DIGEST-MD5')dn!
MAILER(smtp)dn!
MAILER(local)dn!
```

Ensuite on compile le fichier pour obtenir le .cf quivabien :

```
m4 ../m4/cf.m4 sendmail_new.mc > sendmail_new.cf
```

submit.cf

On créé un fichier *submit_new.mc* :


```
divert(-1)
#
# Copyright (c) 2001-2003 Sendmail, Inc. and its suppliers.
# All rights reserved.
#
# By using this file, you agree to the terms and conditions set
# forth in the LICENSE file which can be found at the top level of
# the sendmail distribution.
#
#
#
# This is the prototype file for a set-group-ID sm-msp sendmail that
# acts as a initial mail submission program.
#

divert(0)dn!
VERSIONID(`$Id: submit.mc,v 8.13 2003/09/10 22:12:48 ca Exp $')
FEATURE(`genericstable')dn!
FEATURE(masquerade_envelope)dn!
FEATURE(`msp', `[127.0.0.1]', `MSA')dn!
define(`confCF_VERSION', `Submit')dn!
define(`__OSTYPE__',``)dn! dirty hack to keep proto.m4 from complaining
define(`_USE_DECNET_SYNTAX_', `1')dn! support DECnet
define(`confTIME_ZONE', `USE_TZ')dn!
define(`confDONT_INIT_GROUPS', `True')dn!
define(`MASQUERADE_ENVELOPE_')dn!
define(`DATABASE_MAP_TYPE', `dbm')dn!
dn!
dn! If you use IPv6 only, change [127.0.0.1] to [IPv6:::1]
```

Ensuite on compile le fichier pour obtenir le .cf quivabien :

```
m4 ../m4/cf.m4 submit_new.mc > submit_new.cf
```

Copie des fichiers

On copie les fichiers dans le répertoire */etc/mail* (on backup les anciens fichiers au passage ) :

```
cp /usr/contrib/sendmail/usr/newconfig/etc/mail/cf/cf/sendmail_new.cf /etc/mail/sendmail.cf
cp /usr/contrib/sendmail/usr/newconfig/etc/mail/cf/cf/submit_new.cf /etc/mail/submit.cf
```

Ensuite il faut lancer le script *gen_cf.utils* qui rajoute les users et groupes nécessaires :

```
./usr/contrib/sendmail/usr/newconfig/etc/mail/cf/cf/gen_cf.utils
```

Puis on appelle la fonction sourcée (répondre y) :

```
Create_User
```

Rechargement des fichiers + droits

On recharge les fichiers *genericstable* et *aliases* :

```
cd /etc/mail
makemap hash genericstable < genericstable
makemap hash aliases < aliases
```

On met à jour les droits des fichiers :

```
cd /etc/mail
chgrp smmsp *
chmod 644 *
```

On vérifie que tout est ok :

```
sendmail -bi
```

Config du boot

Vérifier le fichier */etc/rc.config.d/mailservs* :

```
#####
# Mail configuration. See sendmail(1m) #
#####
#
# @(#)B.11.11_LR
#
# BSD's popular message handling system
#
# SENDMAIL_SERVER: Set to 1 if this is a mail server and should
# run the sendmail daemon.
# SENDMAIL_SERVER_NAME: If this is not a mail server, but a client being
# served by another system, then set this variable
# to the name of the mail server system name so that
# site hiding can be performed.
#
export SENDMAIL_SERVER=0
export SENDMAIL_SERVER_NAME=
export SENDMAIL_SENDOONLY=1
```

Tests

On effectue un A/R du sendmail :

```
/sbin/init.d/sendmail stop
/sbin/init.d/sendmail start
```

On vérifie que le démon est bien présent :

```
netstat -an|grep 587
ps -ef |grep sendmail
```

On vérifie la conf (on doit avoir un *return code* égal à 0. <key>C-d</key> pour sortir) :

```
server107:/usr/contrib/sendmail/etc/mail#sendmail -bt
ADDRESS TEST MODE (ruleset 3 NOT automatically invoked)
Enter <ruleset> <address>
> /tryflags es
> /try smtp prenom.nom@grossesociete.com
```

On effectue un envoi de mail :

```
echo "test" |mailx -s "test" prenom.nom@grossesociete.com
```

Vérifier dans les logs que tout se passe bien (elles sont verbeuses) :

```
/var/adm/syslog/mail.log
```

Des scripts d'install sont dispos [ici](#).

From:
<https://unix-bck.ndlp.info/> - **Where there is a shell, there is a way**

Permanent link:
https://unix-bck.ndlp.info/doku.php/informatique:nix:hp:hpux_basic_admin:sendmail

Last update: **2009/08/21 13:03**