Table des matières

- On récupère les infos sur le lecteur et sa bande

```
root@server2898:/tmp$ mt status
Drive:  HP C5683A
Format: DDS-3 format
Status: [41112500] BOT online compression immediate-report-mode
File:   0
Block:  0
```

- On check les devices de type *tape*.

```
root@server2898:/tmp$ /usr/sbin/ioscan -C tape -fun
Class     I  H/W Path       Driver   S/W State   H/W Type     Description
===========================================================================
tape      0  2/0/1/1/0/4/1.0.0  stape    CLAIMED     DEVICE       HP      C5683A
                           /dev/rmt/0m           /dev/rmt/0mnb         /dev/rmt/c1t0d0BESTn   /dev/rmt/c1t0d0DDSb
                           /dev/rmt/0mb          /dev/rmt/c1t0d0BEST   /dev/rmt/c1t0d0BESTnb  /dev/rmt/c1t0d0DDSn
                           /dev/rmt/0mn          /dev/rmt/c1t0d0BESTb  /dev/rmt/c1t0d0DDS     /dev/rmt/c1t0d0DDSnb
```

- On fait un test de sauvegarde :

```
root@server2898:/tmp$ /usr/bin/tar cvf /dev/rmt/c0t3d0BEST /etc/passwd
a /etc/passwd 4 blocks
```

- On regarde si tout est OK :

```
root@server2898:/tmp$ /usr/bin/tar tvf /dev/rmt/c0t3d0BEST /etc/passwd
r--r--r--   0/0   1857 Sep  4 00:31 2007 /etc/passwd
```

- On lance la sauvegarde :

```
/opt/ignite/bin/make_recovery -v -C -A -d /dev/rmt/0mn
```

ou

```
/opt/ignite/bin/make_tape_recovery -x  inc_entire=vg00
```

From:
https://unix-bck.ndlp.info/ - **Where there is a shell, there is a way**

Permanent link:
https://unix-bck.ndlp.info/doku.php/informatique:nix:hp:hpux_basic_admin:utiliser_les_bandes

Last update: **2009/06/29 19:04**