

Table des matières

Accès console avec IVM

```
lsmmap -all
mkvt -id x
```

Backupper la conf (NFS)

```
bkconsoadata -r nfs -n nfs_server_name -l Nfs_mount_point
```

Trouver la HMC rattachée à une LPAR

```
lsrc IBM.ManagementServer |grep -w Hostname|awk '{print "nslookup "$NF}'|sh |awk '/Name/ {print $NF}'
```

Lister les Px

```
lssyscfg -r sys -F name
```

Lister les machines gérées

```
lssyscfg -r lpar -m parka9002902-9117-570-65D67EB -F name
```

Lister les cartes Ethernet et fibres

```
lshwres -r io --subtype slot -m parka9002902-9117-570-65D67EB |grep $lpar|grep Eth|awk -F"drc_name=" '{print $2}'
lshwres -r io --subtype slot -m parka9002902-9117-570-65D67EB |grep $lpar|grep Fib|awk -F"drc_name=" '{print $2}'
```

Créer une partition

```
mksyscfg -r lpar -m parka7213136-9117-MMA-066CC64 -i 'name=machine,profile_name=default_profile, \
lpar_env=aixlinux, min_mem=2048,desired_mem=4096,max_mem=8192,proc_mode=shared,min_proc_units=0.1, \
desired_proc_units=1.0,max_proc_units=2.0,\
min_procs=1,desired_procs=1,max_procs=2,sharing_mode=uncap,uncap_weight=128,boot_mode=norm'
```

Info mémoire par parka

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r mem --level sys -F installed_sys_mem:configurable_sys_mem:curr_avail_sys_mem
echo
done
```

Info CPU par parka

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r proc --level sys -F installed_sys_proc_units:configurable_sys_proc_units:curr_avail_sys_proc_units
echo
done
```

Répartition mémoire par parka et parva

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS --level lpar -r mem -F "lpar_name:curr_mem"
echo
done
```

Répartition CPU par parka et parva

```
for SYS in `lssyscfg -r sys -F name`
do
echo --$SYS--
lshwres -m $SYS -r proc --level lpar -F lpar_name:lpar_id:curr_proc_mode:curr_procs:curr_proc_units:curr_sharing_mode:run_uncap_weight
echo
done
```

Relancer le démon rsct

```
/usr/sbin/rsct/bin/rmcctrl -z
/usr/sbin/rsct/bin/rmcctrl -A
```

Rédémarrer une partoche

```
chsysstate -r lpar -o shutdown --immed --restart -n FR1-A-V-1114-085
```

Modifier le profil

```
hscroot@FR6-A-P-1115-142:~> chsyscfg -m FR6-A-P-1115-139 -r prof -i 'name=default_profile,lpar_id=3,"virtual_scsi_adapters=27/client/1//27/1"'
```

⇒ peut servir à ajouter un vscsi d'un autre vios à un vios.

HMC commands

<http://www.unixwerk.eu/aix/hmc-howto.html>

Lister ressources virt. ethernet

```
lshwres -r virtualio --subtype eth --level lpar -m CIBuLM6P7-sedag --filter "lpar_names=h1a1omg7ee"
```

From:
<https://unix-bck.ndlp.info/> - Where there is a shell, there is a way
Permanent link:
https://unix-bck.ndlp.info/doku.php/informatique:nix:ibm_ibm_hmc
Last update: 2015/12/17 08:03