

**Table des matières**



**/etc/samba/smb.conf**

```
[global]
workgroup = workgroup
server string = Serveur toto
log file = /var/log/samba/%m.log
realm = serveur.ad.toto.fr
security = ads
template shell = /bin/bash
idmap uid = 20000-50000000
idmap gid = 20000-50000000
winbind use default domain = yes
winbind enum users = no
winbind enum groups = no
winbind separator = +
allow trusted domains = no
password server = X.X.X.X X.X.X.X
wins server = X.X.X.X
name resolve order = wins lmhosts host
client use spnego = yes
client ntlmv2 auth = yes
encrypt passwords = yes
```

**/etc/nsswitch.conf**

```
passwd: files nis winbind
shadow: files nis winbind
group: files nis winbind
```

**/etc/krb5.conf**

```
[logging]
default = FILE:/var/log/krb5libs.log
kdc = FILE:/var/log/krb5kdc.log
admin_server = FILE:/var/log/kadmind.log

[libdefaults]
default_realm = serveur.ad.toto.fr
dns_lookup_realm = true
dns_lookup_kdc = true

[realms]

serveur.ad.toto.fr = {
    kdc = X.X.X.X
    kdc = X.X.X.X
    admin_server = X.X.X.X
}

[kdc]
profile = /var/kerberos/krb5kdc/kdc.conf

[appdefaults]
pam = {
    debug = false
    ticket_lifetime = 36000
    renew_lifetime = 36000
    forwardable = true
    krb4_convert = false
}
```

Joindre le domaine :

```
net ads join -UAdministrator
```

Tester :

```
wbinfo -u ID
```

Last update: 2013/01/14 15:28 informatique:nix:linux:linux\_smb\_ads:samba\_et\_active\_directory [https://unix-bck.ndlp.info/doku.php/informatique:nix:linux:linux\\_smb\\_ads:samba\\_et\\_active\\_directory?rev=1358173692](https://unix-bck.ndlp.info/doku.php/informatique:nix:linux:linux_smb_ads:samba_et_active_directory?rev=1358173692)

---

From:  
<https://unix-bck.ndlp.info/> - Where there is a shell, there is a way

Permanent link:  
[https://unix-bck.ndlp.info/doku.php/informatique:nix:linux:linux\\_smb\\_ads:samba\\_et\\_active\\_directory?rev=1358173692](https://unix-bck.ndlp.info/doku.php/informatique:nix:linux:linux_smb_ads:samba_et_active_directory?rev=1358173692)

Last update: 2013/01/14 15:28