

---

**Table des matières**

X25 ..... 3



**X25**

```
cft1:/opt/SUNWconn/bin> /etc/init.d/x25.control start
Starting the X.25 software - please wait
X.25 : Creating link 0...
X.25 : failed to open driver "/dev/zsh0" : Device busy
X.25 : Can't create level 2 for link 0
X.25 : link 0 has been stopped
```

The network failed to come up correctly.

Les binaires :

```
cft1:/opt/SUNWconn/bin> ls -ltr
total 76
lrwxrwxrwx 1 root other 18 May 19 1999 lltune -> ../llc2/bin/lltune
lrwxrwxrwx 1 root other 18 May 19 1999 iflayer -> ../x25/bin/iflayer
lrwxrwxrwx 1 root other 14 May 19 1999 PAD -> ../x25/bin/PAD
lrwxrwxrwx 1 root other 15 May 19 1999 padd -> ../x25/bin/padd
lrwxrwxrwx 1 root other 14 May 19 1999 pad -> ../x25/bin/pad
lrwxrwxrwx 1 root other 17 May 19 1999 nuimap -> ../x25/bin/nuimap
lrwxrwxrwx 1 root other 18 May 19 1999 mlptune -> ../x25/bin/mlptune
lrwxrwxrwx 1 root other 19 May 19 1999 linkstop -> ../x25/bin/linkstop
lrwxrwxrwx 1 root other 20 May 19 1999 linkstate -> ../x25/bin/linkstate
lrwxrwxrwx 1 root other 20 May 19 1999 linkstart -> ../x25/bin/linkstart
lrwxrwxrwx 1 root other 20 May 19 1999 linkreset -> ../x25/bin/linkreset
lrwxrwxrwx 1 root other 19 May 19 1999 linklist -> ../x25/bin/linklist
lrwxrwxrwx 1 root other 18 May 19 1999 linkdel -> ../x25/bin/linkdel
lrwxrwxrwx 1 root other 18 May 19 1999 linkadd -> ../x25/bin/linkadd
lrwxrwxrwx 1 root other 18 May 19 1999 laptune -> ../x25/bin/laptune
lrwxrwxrwx 1 root other 18 May 19 1999 ixetune -> ../x25/bin/ixetune
lrwxrwxrwx 1 root other 17 May 19 1999 ixemap -> ../x25/bin/ixemap
lrwxrwxrwx 1 root other 18 May 19 1999 ixelist -> ../x25/bin/ixelist
lrwxrwxrwx 1 root other 17 May 19 1999 ixedel -> ../x25/bin/ixedel
lrwxrwxrwx 1 root other 17 May 19 1999 ixead -> ../x25/bin/ixead
lrwxrwxrwx 1 root other 17 May 19 1999 iptune -> ../x25/bin/iptune
lrwxrwxrwx 1 root other 17 May 19 1999 xtpmap -> ../x25/bin/xtpmap
lrwxrwxrwx 1 root other 18 May 19 1999 x25tune -> ../x25/bin/x25tune
lrwxrwxrwx 1 root other 19 May 19 1999 x25trace -> ../x25/bin/x25trace
lrwxrwxrwx 1 root other 18 May 19 1999 x25tool -> ../x25/bin/x25tool
lrwxrwxrwx 1 root other 18 May 19 1999 x25stat -> ../x25/bin/x25stat
lrwxrwxrwx 1 root other 22 May 19 1999 x25secutune -> ../x25/bin/x25secutune
lrwxrwxrwx 1 root other 19 May 19 1999 x25route -> ../x25/bin/x25route
lrwxrwxrwx 1 root other 18 May 19 1999 x25netd -> ../x25/bin/x25netd
lrwxrwxrwx 1 root other 18 May 19 1999 x25info -> ../x25/bin/x25info
lrwxrwxrwx 1 root other 18 May 19 1999 x25file -> ../x25/bin/x25file
lrwxrwxrwx 1 root other 19 May 19 1999 x25diags -> ../x25/bin/x25diags
lrwxrwxrwx 1 root other 18 May 19 1999 wantune -> ../x25/bin/wantune
lrwxrwxrwx 1 root other 17 May 19 1999 vcstat -> ../x25/bin/vcstat
lrwxrwxrwx 1 root other 19 May 19 1999 snmpx25d -> ../x25/bin/snmpx25d
lrwxrwxrwx 1 root other 17 May 19 1999 pvcmap -> ../x25/bin/pvcmap
lrwxrwxrwx 1 root other 16 May 19 1999 padxd -> ../x25/bin/padxd
lrwxrwxrwx 1 root other 19 May 19 1999 padprntd -> ../x25/bin/padprntd
```

- Pour avoir des infos sur les liens

```
cft1:/opt/SUNWconn/bin> ./x25info
Usage: x25info [-h | -l]
-h get some help (this)
-ln specify the link number (n)
Configuration:
Link 000 : device /dev/zsh0
Link 001 : device /dev/zsh1
Link 003 : device /dev/wloop1

cft1:/opt/SUNWconn/bin> ./x25info -l0
cft1:/opt/SUNWconn/bin> ./x25info -l1
cft1:/opt/SUNWconn/bin> ./x25info -l3
```

- Les modules sont chargés donc la carte est fonctionnelle physiquement :

```
cft1:/opt/SUNWconn/bin> modinfo |egrep "x25|zsh"
77 f5b36c54 270 56 1 x25sock (X.25 socket driver 9.1)
78 f5b50368 23ee9 15 1 x25 (Sun X.25 module 9.1)
```

```
78 f5b50368 23ee9 55 1 x25 (Sun X.25 driver 9.1)
81 f5b76b80 ff3 12 1 x25secu (Sun X.25 secu module 9.1)
82 f6870000 5bc5 16 1 x25mod (Sun X.25 socketmod 9.1)
97 f656c000 3d17 71 1 zsh (Z8530 serial HDLC drv V1.51)
```

From:  
<https://unix-bck.ndlp.info/> - **Where there is a shell, there is a way**

Permanent link:  
<https://unix-bck.ndlp.info/doku.php/informatique:reseau:x25>

Last update: **2009/06/29 21:04**